

Morgan Street Sconce




808

# SPECIFICATIONS




**MOUNTING** SURFACE MOUNT WALL SCONCE; 4" OCTAGONAL JUNCTION BOX (BY OTHERS)  
**SIZE** 6" x 10" x 4" EXT, NOMINAL  
**FINISH** PLATED ANTIQUE BRASS, PER SAMPLE  
**DIFFUSER** WHITE OPAL ACRYLIC  
**LED** 4W; 360 INITIAL LUMENS; 3000K CCT; 90 CRI  
**DRIVER** ELECTRONIC, 120v - 240v, NON-DIMMABLE  
 REMOTE MOUNTED IN JUNCTION BOX (BY OTHERS)\*\*  
**LISTING** NRTL LISTED DRY LOCATION

\*\*4" Octagonal Box Req'd.

Driver Dimensions:  
2-9/16" x 2-1/16" x 1-1/6" High



Approved Antique Brass Finish Sample



QTY (500)

Room number information to be provided to vendor.

REV.	BY	DATE	DESCRIPTION
4	MDT	Jul 9, 2021	Futura Font was Helvetica
3	MDT	Mar 22, 2021	Clarified finish as Plated Antique Brass
2	MDT	Jan 14, 2020	Now single screw mounting on bottom
1	MDT	Oct 28, 2020	Added Specifications

<b>ILEX</b> Architectural Lighting		TITLE/PROJECT: Morgan Street Signage Sconce	
MODEL #: CUWM-5902-A-SK-A0		Order #: ---	
TYPE: ---	DRAWN BY: MDT	DATE: Oct 28, 2020	SCALE: NTS
MATERIAL: ---		FINISH: Painted Bronze	DWG: 5902-A-SK-A4
FILENAME: 5902-A COMPRESSED GLOBE SIGNAGE SCONCE			

- Be sure to read and understand all instruction sheets completely before beginning assembly or installation.
- All assembly and installation work must be performed by qualified personnel, in accordance with all applicable national and local building and electrical codes.
- Be aware that the weight of some fixtures may exceed the strength rating of the 4" electrical junction box or other such hardware at your site. In all cases, it is the responsibility of the contractor to properly secure the fixture to the structure, and to provide adequate support for the fixture.
- Due to constant production improvements, ILEX reserves the right to change details of the design, material and finish in any way that will not significantly alter installed appearance or reduce function or performance.

©ILEX. East Taunton, MA 02718 (508) 977-9991

SHEET 1 OF 1